

**PRSS1 c.365G>A p.R122H**

*For functional studies click [here](#)*

dbSNP [rs111033565](#)

Citations:

**Recommended primary citations**

**Note that some authors reported the same subjects in multiple publications**

- Whitcomb DC, Gorry MC, Preston RA, Furey W, Sossenheimer MJ, Ulrich CD, Martin SP, Gates LK Jr, Amann ST, Toskes PP, Liddle R, McGrath K, Uomo G, Post JC, Ehrlich GD. (1996) **Hereditary pancreatitis is caused by a mutation in the cationic trypsinogen gene.** [Nat Genet 14, 141-145](#)
- Elitsur Y, Chertow BC, Jewell RD, Finver SN, Primerano DA. (1998) **Identification of a hereditary pancreatitis mutation in four West Virginia families.** [Pediatr Res 44, 927-930](#)
- Dasouki MJ, Cogan J, Summar ML, Neblitt W 3rd, Foroud T, Koller D, Phillips JA 3rd. (1998) **Heterogeneity in hereditary pancreatitis.** [Am J Med Genet 77, 47-53](#)
- Bell SM, Bennett C, Markham AF, Lench NJ. (1998) **Evidence for a common mutation in hereditary pancreatitis.** [Mol Pathol 51, 115-117](#)
- Férec C, Raguénès O, Salomon R, Roche C, Bernard JP, Guillot M, Quéré I, Faure C, Mercier B, Audrézet MP, Guillausseau PJ, Dupont C, Munnich A, Bignon JD, Le Bodic L. (1999) **Mutations in the cationic trypsinogen gene and evidence for genetic heterogeneity in hereditary pancreatitis.** [J Med Genet 36, 228-232](#)
- Nishimori I, Kamakura M, Fujikawa-Adachi K, Morita M, Onishi S, Yokoyama K, Makino I, Ishida H, Yamamoto M, Watanabe S, Ogawa M. (1999) **Mutations in exons 2 and 3 of the cationic trypsinogen gene in Japanese families with hereditary pancreatitis.** [Gut 44, 259-263](#)
- Teich N, Mössner J, Keim V. (1999) **Screening for mutations of the cationic trypsinogen gene: are they of relevance in chronic alcoholic pancreatitis?** [Gut 44, 413-416](#)
- Weber P, Keim V, Zimmer KP. (1999) **Hereditary pancreatitis and mutation of the trypsinogen gene.** [Arch Dis Child 80, 473-474](#)
- Creighton J, Lyall R, Wilson DI, Curtis A, Charnley R. (1999) **Mutations of the cationic trypsinogen gene in patients with chronic pancreatitis.** [Lancet 354, 42-43](#)
- Creighton JE, Lyall R, Wilson DI, Curtis A, Charnley RM. (2000) **Mutations of the cationic trypsinogen gene in patients with hereditary pancreatitis.** [Br J Surg 87, 170-175](#)

- Ravnik-Glavac M, Dean M, di Sant'Agnese P, Chernick M, Kozelj M, Krizman I, Glavac D. (2000) **Evidence that hereditary pancreatitis is genetically heterogeneous disorder.** [Pflügers Arch 439\(3 Suppl\), R50-52](#)
- Nishimori I, Onishi S. (2001) **Hereditary pancreatitis in Japan: a review of pancreatitis-associated gene mutations.** [Pancreatology 1, 444-447](#)
- Truninger K, Köck J, Wirth HP, Muellhaupt B, Arnold C, von Weizsäcker F, Seifert B, Ammann RW, Blum HE. (2001) **Trypsinogen gene mutations in patients with chronic or recurrent acute pancreatitis.** [Pancreas 22, 18-23](#)
- Applebaum-Shapiro SE, Finch R, Pfützer RH, Hepp LA, Gates L, Amann S, Martin S, Ulrich CD 2nd, Whitcomb DC. (2001) **Hereditary pancreatitis in North America: the Pittsburgh-Midwest Multi-Center Pancreatic Study Group study.** [Pancreatology 1, 439-443](#)
- Tautermann G, Ruebsamen H, Beck M, Dertinger S, Drexel H, Lohse P. (2001) **R116C mutation of cationic trypsinogen in a Turkish family with recurrent pancreatitis illustrates genetic microheterogeneity of hereditary pancreatitis.** [Digestion 64, 226-232](#)
- O'Reilly DA, Yang BM, Creighton JE, Demaine AG, Kingsnorth AN. (2001) **Mutations of the cationic trypsinogen gene in hereditary and non-hereditary pancreatitis.** [Digestion 64, 54-60](#)
- Keim V, Bauer N, Teich N, Simon P, Lerch MM, Mössner J. (2001) **Clinical characterization of patients with hereditary pancreatitis and mutations in the cationic trypsinogen gene.** [Am J Med 111, 622-626](#)
- Plendl H, Siebert R, Steinemann D, Grote W. (2001) **High frequency of the N34S mutation in the *SPINK1* gene in chronic pancreatitis detected by a new PCR-RFLP assay.** [Am J Med Genet 100, 252-253](#)
- Noone PG, Zhou Z, Silverman LM, Jowell PS, Knowles MR, Cohn JA. (2001) **Cystic fibrosis gene mutations and pancreatitis risk: relation to epithelial ion transport and trypsin inhibitor gene mutations.** [Gastroenterology 121, 1310-1319](#)
- Simon P, Weiss FU, Zimmer KP, Rand S, Brinkmann B, Domschke W, Lerch MM. (2002) **Spontaneous and sporadic trypsinogen mutations in idiopathic pancreatitis.** [JAMA 288, 2122](#)
- Drenth JP, te Morsche R, Jansen JB. (2002) **Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis.** [Gut 50, 687-692](#)

- Threadgold J, Greenhalf W, Ellis I, Howes N, Lerch MM, Simon P, Jansen J, Charnley R, Laugier R, Frulloni L, Oláh A, Delhaye M, Ihse I, Schaffalitzky de Muckadell OB, Andrén-Sandberg A, Imrie CW, Martinek J, Gress TM, Mountford R, Whitcomb D, Neoptolemos JP. (2002) **The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease.** [Gut 50, 675-681](#)
- Audrézet MP, Chen JM, Le Maréchal C, Ruzsiewicz P, Robaszkiewicz M, Raguénès O, Quéré I, Scotet V, Férec C. (2002) **Determination of the relative contribution of three genes - the cystic fibrosis transmembrane conductance regulator gene, the cationic trypsinogen gene, and the pancreatic secretory trypsin inhibitor gene - to the etiology of idiopathic chronic pancreatitis.** [Eur J Hum Genet 10, 100-106](#)
- Keim V, Witt H, Bauer N, Bodeker H, Rosendahl J, Teich N, Mössner J. (2003) **The course of genetically determined chronic pancreatitis.** [JOP 4, 146-154](#)
- Otsuki M, Nishimori I, Hayakawa T, Hirota M, Ogawa M, Shimosegawa T; Research Committee on Intractable Disease of the Pancreas. (2004) **Hereditary pancreatitis: clinical characteristics and diagnostic criteria in Japan.** [Pancreas 28, 200-206](#)
- Howes N, Lerch MM, Greenhalf W, Stocken DD, Ellis I, Simon P, Truninger K, Ammann R, Cavallini G, Charnley RM, Uomo G, Delhaye M, Spicak J, Drumm B, Jansen J, Mountford R, Whitcomb DC, Neoptolemos JP; European Registry of Hereditary Pancreatitis and Pancreatic Cancer (EUROPAC). (2004) **Clinical and genetic characteristics of hereditary pancreatitis in Europe.** [Clin Gastroenterol Hepatol 2, 252-261](#)
- McGaughran JM, Kimble R, Upton J, George P. (2004) **Hereditary pancreatitis in a family of Aboriginal descent.** [J Paediatr Child Health 40, 487-489](#)
- Sobczyńska-Tomaszewska A, Bak D, Oralewska B, Oracz G, Norek A, Czerska K, Mazurczak T, Teisseyre M, Socha J, Zagulski M, Bal J. (2006) **Analysis of CFTR, SPINK1, PRSS1 and AAT mutations in children with acute or chronic pancreatitis.** [J Pediatr Gastroenterol Nutr 43, 299-306](#)
- Keiles S, Kammesheidt A. (2006) **Identification of CFTR, PRSS1, and SPINK1 mutations in 381 patients with pancreatitis.** [Pancreas 33, 221-227](#)
- Rätty S, Piironen A, Babu M, Pelli H, Sand J, Uotila S, Nordback I, Herzig KH. (2007) **Screening for human cationic trypsinogen (PRSS1) and trypsinogen inhibitor gene (SPINK1) mutations in a Finnish family with hereditary pancreatitis.** [Scand J Gastroenterol 42, 1000-1005](#)
- Weiss FU, Zenker M, Ekici AB, Simon P, Mayerle J, Lerch MM. (2008) **Local clustering of PRSS1 R122H mutations in hereditary pancreatitis patients from Northern Germany.** [Am J Gastroenterol 103, 2585-2588](#)

- Rebour V, Boutron-Ruault MC, Schnee M, Férec C, Le Maréchal C, Hentic O, Maire F, Hammel P, Ruszniewski P, Lévy P. (2009) **The natural history of hereditary pancreatitis: a national series.** [Gut 58, 97-103](#)
- Oh HC, Kim MH, Choi KS, Moon SH, Park do H, Lee SS, Seo DW, Lee SK, Yoo HW, Kim GH. (2009) **Analysis of *PRSS1* and *SPINK1* mutations in Korean patients with idiopathic and familial pancreatitis.** [Pancreas 38, 180-183](#)
- Liu QC, Zhuang ZH, Zeng K, Cheng ZJ, Gao F, Wang ZQ. (2009) **Prevalence of pancreatic diabetes in patients carrying mutations or polymorphisms of the *PRSS1* gene in the Han population.** [Diabetes Technol Ther 11, 799-804](#)
- Schmitt F, Le Henaff G, Piloquet H, Leclair MD, David A, Heloury Y, Podevin G. (2009) **Hereditary pancreatitis in children: surgical implications with special regard to genetic background.** [J Pediatr Surg 44, 2078-2082](#)
- Grocock CJ, Rebour V, Delhaye M, Andren-Sandberg A, Weiss FU, Mountford R, Marcus M, Niemczyck E, Vitone L, Dodd S, Joergensen MT, Ammann RW, Schaffalitzky de Muckadell O, Butler JV, Burgess P, Kerr B, Charnley R, Sutton R, Raraty M, Deviere J, Whitcomb D, Neoptolemos J, Levy P, Lerch MM, Greenhalf W. (2010) **The variable phenotype of the p.A16V mutation of cationic trypsinogen (*PRSS1*) in pancreatitis families.** [Gut 59, 357-363](#)
- Joergensen MT, Brusgaard K, Crüger DG, Gerdes AM, Schaffalitzky de Muckadell OB. (2010) **Genetic, epidemiological, and clinical aspects of hereditary pancreatitis: a population-based cohort study in Denmark.** [Am J Gastroenterol 2010; 105, 1876-1883](#)
- Joergensen M, Brusgaard K, Crüger DG, Gerdes AM, de Muckadell OB. (2010) **Incidence, prevalence, etiology, and prognosis of first-time chronic pancreatitis in young patients: a nationwide cohort study.** [Dig Dis Sci 55, 2988-2998](#)
- Joergensen M, Brusgaard K, Crüger DG, Gerdes AM, Schaffalitzky de Muckadell OB. (2010) **Incidence, etiology and prognosis of first-time acute pancreatitis in young patients: a population-based cohort study.** [Pancreatology 10, 453-461](#)
- Sutton JM, Schmulewitz N, Sussman JJ, Smith M, Kurland JE, Brunner JE, Salehi M, Choe KA, Ahmad SA. (2010) **Total pancreatectomy and islet cell autotransplantation as a means of treating patients with genetically linked pancreatitis.** [Surgery 148, 676-685](#)
- Midha S, Khajuria R, Shastri S, Kabra M, Garg PK. (2010) **Idiopathic chronic pancreatitis in India: phenotypic characterisation and strong genetic susceptibility due to *SPINK1* and *CFTR* gene mutations.** [Gut 59, 800-807](#)

- Graziani R, Manfredi R, Cicero C, Contro A, Brandalise A, Tapparelli M, Frulloni L, Vantini I, Megibow A, Pozzi Mucelli R. (2010) **Role of multislice computed tomography in the diagnosis of gene-mutation-associated pancreatitis (GMAP).** [Radiol Med 115, 875-888](#)
- Masamune A, Ariga H, Kume K, Kakuta Y, Satoh K, Satoh A, Shimosegawa T. (2011) **Genetic background is different between sentinel and recurrent acute pancreatitis.** [J Gastroenterol Hepatol 26, 974-978](#)
- Lee YJ, Kim KM, Choi JH, Lee BH, Kim GH, Yoo HW. (2011) **High incidence of *PRSS1* and *SPINK1* mutations in Korean children with acute recurrent and chronic pancreatitis.** [J Pediatr Gastroenterol Nutr 52, 478-481](#)
- Gasiorowska A, Talar-Wojnarowska R, Czupryniak L, Smolarz B, Romanowicz-Makowska H, Kulig A, Malecka-Panas E. (2011) **The prevalence of cationic trypsinogen (*PRSS1*) and serine protease inhibitor, Kazal type 1 (*SPINK1*) gene mutations in Polish patients with alcoholic and idiopathic chronic pancreatitis.** [Dig Dis Sci 56, 894-901](#)
- Graziani R, Frulloni L, Cicero C, Manfredi R, Ambrosetti MC, Mautone S, Pozzi Mucelli R. (2012) **Bull's-eye pattern of pancreatic-duct stones on multidetector computed tomography and gene-mutation-associated pancreatitis (GMAP).** [Radiol Med 117, 1275-1286](#)
- Sultan M, Werlin S, Venkatasubramani N. (2012) **Genetic prevalence and characteristics in children with recurrent pancreatitis.** [J Pediatr Gastroenterol Nutr 54, 645-650](#)
- Whitcomb DC, LaRusch J, Krasinskas AM, Klei L, Smith JP, Brand RE, Neoptolemos JP, Lerch MM, Tector M, Sandhu BS, Guda NM, Orlichenko L; Alzheimer's Disease Genetics Consortium, Alkaade S, Amann ST, Anderson MA, Baillie J, Banks PA, Conwell D, Coté GA, Cotton PB, DiSario J, Farrer LA, Forsmark CE, Johnstone M, Gardner TB, Gelrud A, Greenhalf W, Haines JL, Hartman DJ, Hawes RA, Lawrence C, Lewis M, Mayerle J, Mayeux R, Melhem NM, Money ME, Muniraj T, Papachristou GI, Pericak-Vance MA, Romagnuolo J, Schellenberg GD, Sherman S, Simon P, Singh VP, Slivka A, Stolz D, Sutton R, Weiss FU, Wilcox CM, Zarnescu NO, Wisniewski SR, O'Connell MR, Kienholz ML, Roeder K, Barmada MM, Yadav D, Devlin B. (2012) **Common genetic variants in the *CLDN2* and *PRSS1-PRSS2* loci alter risk for alcohol-related and sporadic pancreatitis.** [Nat Genet 44, 1349-1354](#)
- Rosendahl J, Landt O, Bernadova J, Kovacs P, Teich N, Bödeker H, Keim V, Ruffert C, Mössner J, Kage A, Stumvoll M, Groneberg D, Krüger R, Luck W, Treiber M, Becker M, Witt H. (2013) ***CFTR*, *SPINK1*, *CTRC* and *PRSS1* variants in chronic pancreatitis: is the role of mutated *CFTR* overestimated?** [Gut 62, 582-592](#). Epub 2012 Mar 17.

- Solomon S, Gelrud A, Whitcomb DC. (2013) **Low penetrance pancreatitis phenotype in a Venezuelan kindred with a PRSS1 R122H mutation.** [JOP 14, 187-189](#)
- Hamoir C, Pepermans X, Piessevaux H, Jouret-Mourin A, Weynand B, Habyalimana JB, Leal T, Geubel A, Gigot JF, Deprez PH. (2013) **Clinical and morphological characteristics of sporadic genetically determined pancreatitis as compared to idiopathic pancreatitis: higher risk of pancreatic cancer in CFTR variants.** [Digestion 87, 229-239](#)
- Wang W, Sun XT, Weng XL, Zhou DZ, Sun C, Xia T, Hu LH, Lai XW, Ye B, Liu MY, Jiang F, Gao J, Bo LM, Liu Y, Liao Z, Li ZS. (2013) **Comprehensive screening for PRSS1, SPINK1, CFTR, CTRC and CLDN2 gene mutations in Chinese paediatric patients with idiopathic chronic pancreatitis: a cohort study.** [BMJ Open 23, e003150](#)
- Masson E, Chen JM, Audrézet MP, Cooper DN, Férec C. (2013) **A conservative assessment of the major genetic causes of idiopathic chronic pancreatitis: Data from a comprehensive analysis of PRSS1, SPINK1, CTRC and CFTR Genes in 253 young French patients.** [PLoS One 8, e73522](#)
- Awano H, Lee T, Yagi M, Masamune A, Kume K, Takeshima Y, Iijima K. (2013) **Childhood-onset hereditary pancreatitis with mutations in the CT gene and SPINK1 gene.** [Pediatr Int 55, 646-649](#)  
Note that the authors erroneously designated the *PRSS1* gene as the CT gene
- Ceppa EP, Pitt HA, Hunter JL, Leys CM, Zyromski NJ, Rescorla FJ, Sandrasegaran K, Fogel EL, McHenry LW, Watkins JL, Sherman S, Lehman GA. (2013) **Hereditary pancreatitis: endoscopic and surgical management.** [J Gastrointest Surg 17, 847-856](#)
- Singhi AD, Pai RK, Kant JA, Bartholow TL, Zeh HJ, Lee KK, Wijkstrom M, Yadav D, Bottino R, Brand RE, Chennat JS, Lowe ME, Papachristou GI, Slivka A, Whitcomb DC, Humar A. (2014) **The histopathology of PRSS1 hereditary pancreatitis.** [Am J Surg Pathol 38, 346-353](#)  
Text indicates 6 affected; table indicates 5 affected
- Masamune A. (2014) **Genetics of pancreatitis: the 2014 update.** [Tohoku J Exp Med 232, 69-77](#)
- Schubert S, Traub F, Brakensiek K, von Kopylow K, Marohn B, Maelzer M, Gaedcke J, Kreipe H, Stuhmann M. (2014) **CFTR, SPINK1, PRSS1, and CTRC mutations are not associated with pancreatic cancer in German patients.** [Pancreas 43, 1078-1082](#)
- Sun XT, Hu LH, Xia T, Shi LL, Sun C, Du YQ, Wang W, Chen JM, Liao Z, Li ZS. (2015) **Clinical features and endoscopic treatment of Chinese patients With hereditary pancreatitis.** [Pancreas 44, 59-63](#)

- Wilson GC, Sutton JM, Smith MT, Schmulewitz N, Salehi M, Choe KA, Brunner JE, Abbott DE, Sussman JJ, Ahmad SA.(2015) **Total pancreatectomy with islet cell autotransplantation as the initial treatment for minimal-change chronic pancreatitis.** [HPB \(Oxford\) 17, 232-238](#)
- Werlin S, Konikoff FM, Halpern Z, Barkay O, Yerushalmi B, Broide E, Santo E, Shamir R, Shaoul R, Shteyer E, Yaakov Y, Cohen M, Kerem E, Ruzniewski P, Masson E, Ferec C, Wilschanski M. (2015) **Genetic and electrophysiological characteristics of recurrent acute pancreatitis.** *J Pediatr Gastroenterol Nutr* 60, 675-679  
**Variant was described at the protein level only**
- Rivera Rivera ED, Chugh A, Cordova J, Young S. (2016) **Hereditary pancreatitis.** *Pediatr Ann* 45, e50-53
- Palermo JJ, Lin TK, Hornung L, Valencia CA, Mathur A, Jackson K, Fei L, Abu-El-Haija M. (2016) **Genophenotypic analysis of pediatric patients with acute recurrent and chronic pancreatitis.** *Pancreas*. 2016 May 19. [Epub ahead of print]
- Oracz G, Kolodziejczyk E, Sobczynska-Tomaszewska A, Wejnarska K, Dadalski M, Grabarczyk AM, Kierkus J, Woynarowski M, Wertheim-Tysarowska K, Ryzko J, Bal J, Rygiel AM. (2016) **The clinical course of hereditary pancreatitis in children - A comprehensive analysis of 41 cases.** *Pancreatology* 2016 Apr 26. [Epub ahead of print]
- Cho SM, Shin S, Lee KA. (2016) ***PRSS1*, *SPINK1*, *CFTR*, and *CTRC* pathogenic variants in Korean patients with idiopathic pancreatitis.** *Ann Lab Med* 36, 555-560
- Sofia VM, Da Sacco L, Surace C, Tomaiuolo AC, Genovese S, Grotta S, Gnazzo M, Petrocchi S, Ciocca L, Alghisi F, Montemitro E, Martemucci L, Elce A, Lucidi V, Castaldo G, Angioni A. (2016) **Extensive molecular analysis suggested the strong genetic heterogeneity of idiopathic chronic pancreatitis.** *Mol Med* 2016 May 26. [Epub ahead of print]

#### Functional studies:

- Várallyay E, Pál G, Patthy A, Szilágyi L, Gráf L. (1998) **Two mutations in rat trypsin confer resistance against autolysis.** [Biochem Biophys Res Commun 243, 56-60](#)  
**Note that studies were performed on rat anionic trypsinogen**
- Li XF, Nie X, Tang JG. (1998) **Anti-autolysis of trypsin by modification of autolytic site Arg117.** [Biochem Biophys Res Commun 250, 235-239](#)  
**Note that studies were performed on rat anionic trypsinogen**

- Sahin-Tóth M, Gráf L, Tóth M. (1999) **Trypsinogen stabilization by mutation Arg117→His: a unifying pathomechanism for hereditary pancreatitis?** [Biochem Biophys Res Commun 264, 505-508](#)  
Note that studies were performed on rat anionic trypsinogen
- Sahin-Tóth M, Tóth M. (2000) **High-affinity Ca<sup>2+</sup> binding inhibits autoactivation of rat trypsinogen.** [Biochem Biophys Res Commun 275, 668-671](#)  
Note that studies were performed on rat anionic trypsinogen
- Sahin-Tóth M, Tóth M. (2000) **Gain-of-function mutations associated with hereditary pancreatitis enhance autoactivation of human cationic trypsinogen.** [Biochem Biophys Res Commun 278, 286-289](#)
- Sahin-Tóth M. (2001) **The pathobiochemistry of hereditary pancreatitis: studies on recombinant human cationic trypsinogen.** [Pancreatology 1, 461-465](#)
- Sahin-Tóth M, Tóth M. (2001) **[Significance of trypsinogen gene mutations in the etiology of hereditary pancreatitis].** [Orv Hetil 142, 603-606. Hungarian](#)
- Kukor Z, Mayerle J, Krüger B, Tóth M, Steed PM, Halangk W, Lerch MM, Sahin-Tóth M. (2002) **Presence of cathepsin B in the human pancreatic secretory pathway and its role in trypsinogen activation during hereditary pancreatitis.** [J Biol Chem 277, 21389-21396](#)
- Szmola R, Sahin-Tóth M. (2007) **Chymotrypsin C (caldecrin) promotes degradation of human cationic trypsin: identity with Rinderknecht's enzyme Y.** [Proc Natl Acad Sci USA 104, 11227-11232](#)
- Kereszturi E, Szmola R, Kukor Z, Simon P, Weiss FU, Lerch MM, Sahin-Tóth M. (2009) **Hereditary pancreatitis caused by mutation-induced misfolding of human cationic trypsinogen: a novel disease mechanism.** [Hum Mutat 30, 575-582](#)
- Szabó A, Sahin-Tóth M. (2012) **Increased activation of hereditary pancreatitis-associated human cationic trypsinogen mutants in presence of chymotrypsin C.** [J Biol Chem 287, 20701-20710](#)
- Geisz A, Hegyi P, Sahin-Tóth M. (2013) **Robust autoactivation, chymotrypsin C independence and diminished secretion define a subset of hereditary pancreatitis-associated cationic trypsinogen mutants.** [FEBS J 280, 2888-2899](#)
- Németh BC, Wartmann T, Halangk W, Sahin-Tóth M. (2013) **Autoactivation of mouse trypsinogens is regulated by chymotrypsin C via cleavage of the autolysis loop.** [J Biol Chem 288, 24049-24062](#)  
Note that studies were performed on mouse trypsinogens