

**PRSSI**

**c.86A>T p.N29I**

*For functional studies click [here](#)*

dbSNP [rs111033566](#)

Citations:

**Recommended primary citations**

**Note that some authors reported the same subjects in multiple publications**

- Gorry MC, Ghabbaizedeh D, Furey W, Gates LK Jr, Preston RA, Aston CE, Zhang Y, Ulrich C, Ehrlich GD, Whitcomb DC. (1997) **Mutations in the cationic trypsinogen gene are associated with recurrent acute and chronic pancreatitis.** Gastroenterology 113, 1063-1068
- Teich N, Mössner J, Keim V. (1998) **Mutations of the cationic trypsinogen in hereditary pancreatitis.** Hum Mutat 12, 39-43
- Férec C, Raguénès O, Salomon R, Roche C, Bernard JP, Guillot M, Quéré I, Faure C, Mercier B, Audrézet MP, Guillausseau PJ, Dupont C, Munnich A, Bignon JD, Le Bodic L. (1999) **Mutations in the cationic trypsinogen gene and evidence for genetic heterogeneity in hereditary pancreatitis.** J Med Genet 36, 228-232
- Nishimori I, Kamakura M, Fujikawa-Adachi K, Morita M, Onishi S, Yokoyama K, Makino I, Ishida H, Yamamoto M, Watanabe S, Ogawa M. (1999) **Mutations in exons 2 and 3 of the cationic trypsinogen gene in Japanese families with hereditary pancreatitis.** Gut 44,259-263
- Teich N, Mössner J, Keim V. (1999) **Screening for mutations of the cationic trypsinogen gene: are they of relevance in chronic alcoholic pancreatitis?** Gut 44, 413-416
- Creighton J, Lyall R, Wilson DI, Curtis A, Charnley R. (1999) **Mutations of the cationic trypsinogen gene in patients with chronic pancreatitis.** Lancet, 354:42-43
- Creighton JE, Lyall R, Wilson DI, Curtis A, Charnley RM. (2000) **Mutations of the cationic trypsinogen gene in patients with hereditary pancreatitis.** Br J Surg 87, 170-175
- Nishimori I, Onishi S. (2001) **Hereditary pancreatitis in Japan: a review of pancreatitis-associated gene mutations.** Pancreatology 1, 444-447
- Applebaum-Shapiro SE, Finch R, Pfützer RH, Hepp LA, Gates L, Amann S, Martin S, Ulrich CD 2nd, Whitcomb DC. (2001) **Hereditary pancreatitis in North America: the Pittsburgh-Midwest Multi-Center Pancreatic Study Group study.** Pancreatology 1, 439-443
- Tautermann G, Ruebsamen H, Beck M, Dertinger S, Drexel H, Lohse P. (2001) **R116C mutation of cationic trypsinogen in a Turkish family with recurrent pancreatitis**

**illustrates genetic microheterogeneity of hereditary pancreatitis.** Digestion 64, 226-232

- Keim V, Bauer N, Teich N, Simon P, Lerch MM, Mössner J. (2001) **Clinical characterization of patients with hereditary pancreatitis and mutations in the cationic trypsinogen gene.** Am J Med 111, 622-626
- Drenth JP, te Morsche R, Jansen JB. (2002) **Mutations in serine protease inhibitor Kazal type 1 are strongly associated with chronic pancreatitis.** Gut 50, 687-692
- Threadgold J, Greenhalf W, Ellis I, Howes N, Lerch MM, Simon P, Jansen J, Charnley R, Laugier R, Frulloni L, Oláh A, Delhaye M, Ihse I, Schaffalitzky de Muckadell OB, Andrén-Sandberg A, Imrie CW, Martinek J, Gress TM, Mountford R, Whitcomb D, Neoptolemos JP. (2002) **The N34S mutation of SPINK1 (PSTI) is associated with a familial pattern of idiopathic chronic pancreatitis but does not cause the disease.** Gut 50, 675-681
- Keim V, Witt H, Bauer N, Bodeker H, Rosendahl J, Teich N, Mössner J. (2003) **The course of genetically determined chronic pancreatitis.** JOP 4, 146-154
- Otsuki M, Nishimori I, Hayakawa T, Hirota M, Ogawa M, Shimosegawa T; Research Committee on Intractable Disease of the Pancreas. (2004) **Hereditary pancreatitis: clinical characteristics and diagnostic criteria in Japan.** Pancreas 28, 200-206
- Howes N, Lerch MM, Greenhalf W, Stocken DD, Ellis I, Simon P, Truninger K, Ammann R, Cavallini G, Charnley RM, Uomo G, Delhaye M, Spicak J, Drumm B, Jansen J, Mountford R, Whitcomb DC, Neoptolemos JP; European Registry of Hereditary Pancreatitis and Pancreatic Cancer (EUROPAC). (2004) **Clinical and genetic characteristics of hereditary pancreatitis in Europe.** Clin Gastroenterol Hepatol 2, 252-261
- Eren M, Gürakan F, Koçak N. (2005) **Chronic hereditary pancreatitis with N29I mutation in a Turkish child.** Turk J Pediatr 47, 173-175
- Sobczyńska-Tomaszewska A, Bak D, Oralewska B, Oracz G, Norek A, Czerska K, Mazurczak T, Teisseyre M, Socha J, Zagulski M, Bal J. (2006) **Analysis of CFTR, SPINK1, PRSS1 and AAT mutations in children with acute or chronic pancreatitis.** J Pediatr Gastroenterol Nutr 43, 299-306
- Keiles S, Kammesheidt A. (2006) **Identification of CFTR, PRSS1, and SPINK1 mutations in 381 patients with pancreatitis.** Pancreas 33, 221-227
- Masson E, Le Maréchal C, Delcenserie R, Chen JM, Férec C. (2008) **Hereditary pancreatitis caused by a double gain-of-function trypsinogen mutation.** Hum Genet 123, 521-529

- Rebourts V, Boutron-Ruault MC, Schnee M, Férec C, Le Maréchal C, Hentic O, Maire F, Hammel P, Ruszniewski P, Lévy P. (2009) **The natural history of hereditary pancreatitis: a national series.** Gut 58, 97-103
- Mora J, Comas L, Ripoll E, Gonçalves P, Queraltó JM, González-Sastre F, Farré A. (2009) **Genetic mutations in a Spanish population with chronic pancreatitis.** Pancreatology 9, 644-651
- Grocock CJ, Rebourts V, Delhaye M, Andren-Sandberg A, Weiss FU, Mountford R, Harcus M, Niemczyck E, Vitone L, Dodd S, Joergensen MT, Ammann RW, Schaffalitzky de Muckadell O, Butler JV, Burgess P, Kerr B, Charnley R, Sutton R, Raraty M, Deviere J, Whitcomb D, Neoptolemos J, Levy P, Lerch MM, Greenhalf W. (2010) **The variable phenotype of the p.A16V mutation of cationic trypsinogen (PRSS1) in pancreatitis families.** Gut 59, 357-363
- Lee YJ, Kim KM, Choi JH, Lee BH, Kim GH, Yoo HW. (2011) **High incidence of PRSS1 and SPINK1 mutations in Korean children with acute recurrent and chronic pancreatitis.** J Pediatr Gastroenterol Nutr 52, 478-481
- Chua KH, Pua SM, Chew CH, Wong CH, Goh KL. (2011) **Interaction between a novel intronic IVS3+172 variant and N29I mutation in PRSS1 gene is associated with pancreatitis in a Malaysian Chinese family.** Pancreatology 11, 441-444
- Gasiorowska A, Talar-Wojnarowska R, Czupryniak L, Smolarz B, Romanowicz-Makowska H, Kulig A, Malecka-Panas E. (2011) **The prevalence of cationic trypsinogen (PRSS1) and serine protease inhibitor, Kazal type 1 (SPINK1) gene mutations in Polish patients with alcoholic and idiopathic chronic pancreatitis.** Dig Dis Sci 56, 894-901
- Sultan M, Werlin S, Venkatasubramani N. (2012) **Genetic prevalence and characteristics in children with recurrent pancreatitis.** J Pediatr Gastroenterol Nutr 54, 645-650
- Sánchez-Ramírez CA, Flores-Martínez SE, García-Zapién AG, Montero-Cruz SA, Larrosa-Haro A, Sánchez-Corona J. (2012) **Screening of R122H and N29I mutations in the PRSS1 gene and N34S mutation in the SPINK1 gene in Mexican pediatric patients with acute and recurrent pancreatitis.** Pancreas 41, 707-711
- Whitcomb DC, LaRusch J, Krasinskas AM, Klei L, Smith JP, Brand RE, Neoptolemos JP, Lerch MM, Tector M, Sandhu BS, Guda NM, Orlichenko L; Alzheimer's Disease Genetics Consortium, Alkaade S, Amann ST, Anderson MA, Baillie J, Banks PA, Conwell D, Coté GA, Cotton PB, DiSario J, Farrer LA, Forsmark CE, Johnstone M, Gardner TB, Gelrud A, Greenhalf W, Haines JL, Hartman DJ, Hawes RA, Lawrence C, Lewis M, Mayerle J, Mayeux R, Melhem NM, Money ME, Muniraj T, Papachristou GI, Pericak-Vance MA, Romagnuolo J, Schellenberg GD, Sherman S, Simon P, Singh VP, Slivka A, Stolz D, Sutton R, Weiss FU, Wilcox CM, Zarnescu NO, Wisniewski SR,

O'Connell MR, Kienholz ML, Roeder K, Barmada MM, Yadav D, Devlin B. (2012) **Common genetic variants in the *CLDN2* and *PRSSI-PRSS2* loci alter risk for alcohol-related and sporadic pancreatitis.** [Nat Genet 44, 1349-1354](#)

- Rosendahl J, Landt O, Bernadova J, Kovacs P, Teich N, Bödeker H, Keim V, Ruffert C, Mössner J, Kage A, Stumvoll M, Groneberg D, Krüger R, Luck W, Treiber M, Becker M, Witt H. (2013) ***CFTR*, *SPINK1*, *CTRC* and *PRSSI* variants in chronic pancreatitis: is the role of mutated *CFTR* overestimated?** [Gut 62, 582-592. Epub 2012 Mar 17.](#)
- Wilson GC, Sutton JM, Salehi M, Schmulewitz N, Smith MT, Kucera S, Choe KA, Brunner JE, Abbott DE, Sussman JJ, Ahmad SA. (2013) **Surgical outcomes after total pancreatectomy and islet cell autotransplantation in pediatric patients.** [Surgery 154, 777-184](#)
- Ceppa EP, Pitt HA, Hunter JL, Leys CM, Zyromski NJ, Rescorla FJ, Sandrasegaran K, Fogel EL, McHenry LW, Watkins JL, Sherman S, Lehman GA. (2013) **Hereditary pancreatitis: endoscopic and surgical management.** [J Gastrointest Surg 17, 847-856](#)
- Singhi AD, Pai RK, Kant JA, Bartholow TL, Zeh HJ, Lee KK, Wijkstrom M, Yadav D, Bottino R, Brand RE, Chennat JS, Lowe ME, Papachristou GI, Slivka A, Whitcomb DC, Humar A. (2014) **The histopathology of *PRSSI* hereditary pancreatitis.** [Am J Surg Pathol 38, 346-353.](#) Text indicates 3 affected, table indicates 4 affected
- Masamune A. (2014) **Genetics of pancreatitis: the 2014 update.** [Tohoku J Exp Med 232, 69-77](#)
- Sun XT, Hu LH, Xia T, Shi LL, Sun C, Du YQ, Wang W, Chen JM, Liao Z, Li ZS. (2015) **Clinical features and endoscopic treatment of Chinese patients with hereditary pancreatitis.** [Pancreas 44, 59-63](#)
- Wilson GC, Sutton JM, Smith MT, Schmulewitz N, Salehi M, Choe KA, Brunner JE, Abbott DE, Sussman JJ, Ahmad SA. (2015) **Total pancreatectomy with islet cell autotransplantation as the initial treatment for minimal-change chronic pancreatitis.** [HPB \(Oxford\) 17, 232-238](#)
- Oracz G, Kolodziejczyk E, Sobczynska-Tomaszewska A, Wejnarska K, Dadalski M, Grabarczyk AM, Kierkus J, Woynarowski M, Wertheim-Tysarowska K, Ryzko J, Bal J, Rygiel AM. (2016) **The clinical course of hereditary pancreatitis in children - A comprehensive analysis of 41 cases.** *Pancreatology* 2016 Apr 26. [Epub ahead of print]
- Cho SM, Shin S, Lee KA. (2016) ***PRSSI*, *SPINK1*, *CFTR*, and *CTRC* pathogenic variants in Korean patients with idiopathic pancreatitis.** *Ann Lab Med* 36, 555-560

Functional studies:

- Sahin-Tóth M. (1999) **Hereditary pancreatitis-associated mutation Asn<sup>21</sup> → Ile stabilizes rat trypsinogen in vitro.** J Biol Chem 274, 29699-29704  
Note that studies were performed on rat anionic trypsinogen
- Sahin-Tóth M, Gráf L, Tóth M. (1999) **Trypsinogen stabilization by mutation Arg117→His: a unifying pathomechanism for hereditary pancreatitis?** Biochem Biophys Res Commun 264, 505-508  
Note that studies were performed on rat anionic trypsinogen
- Sahin-Tóth M, Tóth M. (2000) **High-affinity Ca<sup>2+</sup> binding inhibits autoactivation of rat trypsinogen.** Biochem Biophys Res Commun 275, 668-671  
Note that studies were performed on rat anionic trypsinogen
- Sahin-Tóth M. (2000) **Human cationic trypsinogen. Role of Asn-21 in zymogen activation and implications in hereditary pancreatitis.** J Biol Chem 275, 22750-22755
- Sahin-Tóth M, Tóth M. (2000) **Gain-of-function mutations associated with hereditary pancreatitis enhance autoactivation of human cationic trypsinogen.** Biochem Biophys Res Commun 278, 286-289
- Szilágyi L, Kénesi E, Katona G, Kaslik G, Juhász G, Gráf L. (2001) **Comparative in vitro studies on native and recombinant human cationic trypsins. Cathepsin B is a possible pathological activator of trypsinogen in pancreatitis.** J Biol Chem 276, 24574-24580
- Sahin-Tóth M. (2001) **The pathobiochemistry of hereditary pancreatitis: studies on recombinant human cationic trypsinogen.** Pancreatology 1, 461-465
- Sahin-Tóth M, Tóth M. (2001) **[Significance of trypsinogen gene mutations in the etiology of hereditary pancreatitis].** Orv Hetil 142, 603-606. Hungarian
- Kukor Z, Mayerle J, Krüger B, Tóth M, Steed PM, Halangk W, Lerch MM, Sahin-Tóth M. (2002) **Presence of cathepsin B in the human pancreatic secretory pathway and its role in trypsinogen activation during hereditary pancreatitis.** J Biol Chem 277, 21389-21396
- Teich N, Nemoda Z, Köhler H, Heinritz W, Mössner J, Keim V, Sahin-Tóth M. (2005) **Gene conversion between functional trypsinogen genes PRSS1 and PRSS2 associated with chronic pancreatitis in a six-year-old girl.** Hum Mutat 25, 343-347
- Király O, Guan L, Szepessy E, Tóth M, Kukor Z, Sahin-Tóth M. (2006) **Expression of human cationic trypsinogen with an authentic N terminus using intein-mediated splicing in aminopeptidase P deficient *Escherichia coli*.** Protein Expr Purif 48, 104-111

- Kereszturi E, Szmola R, Kukor Z, Simon P, Weiss FU, Lerch MM, Sahin-Tóth M. (2009) **Hereditary pancreatitis caused by mutation-induced misfolding of human cationic trypsinogen: a novel disease mechanism.** Hum Mutat 30, 575-582
- Szabó A, Sahin-Tóth M. (2012) **Increased activation of hereditary pancreatitis-associated human cationic trypsinogen mutants in presence of chymotrypsin C. J. Biol Chem 287, 20701-20710**